



# CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS

## Vascular Cognitive Impairment Seventh Edition, 2024

### Appendix 6: References

*Swartz R.H, Longman S (Writing Group Chairs)  
on behalf of the Canadian Stroke Best Practice Recommendations Vascular  
Cognitive Impairment Writing Group, the Canadian Stroke Best Practice  
Recommendations Advisory Committee, and in collaboration with the Canadian  
Stroke Consortium, Canadian Neurological Sciences Federation and CanStroke  
Recovery Clinical Trials Platform..*

© 2024 Heart and Stroke Foundation of Canada

## Appendix Six: References

- Abraha I, Rimland JM, Lozano-Montoya I, Dell'Aquila G, Vélez-Díaz-Pallarés M, Trotta FM, et al. Simulated presence therapy for dementia. *Cochrane Database Syst Rev*. 2020. 4 (4): Cd011882.
- Albanese E, Launer LJ, Egger M, Prince MJ, Giannakopoulos P, Wolters FJ, et al. Body mass index in midlife and dementia: Systematic review and meta-regression analysis of 589,649 men and women followed in longitudinal studies. *Alzheimers Dement (Amst)*. 2017. 8: 165-178.
- Amano K, Morita T, Tataru R, Katayama H, Uno T, and Takagi I. Association between early palliative care referrals, inpatient hospice utilization, and aggressiveness of care at the end of life. *J Palliat Med*. 2015. 18 (3): 270-3.
- Arbel I, Bingham KS, and Dawson DR. A scoping review of literature on sex and gender differences among dementia spousal caregivers. *Gerontologist*. 2019. 59 (6): e802-e815.
- Arnett DK, Blumenthal RS, Albert MA, Buroker AB, Goldberger ZD, Hahn EJ, et al. 2019 ACC/AHA guideline on the primary prevention of cardiovascular disease: A report of the American College of Cardiology/American Heart Association task force on clinical practice guidelines. *Circulation*. 2019. 140 (11): e596-e646.
- Bahar-Fuchs A, Martyr A, Goh AM, Sabates J, and Clare L. Cognitive training for people with mild to moderate dementia. *Cochrane Database Syst Rev*. 2019. 3 (3): Cd013069.
- Bainey KR, Marquis-Gravel G, Belley-Côté E, Turgeon RD, Ackman ML, Babadagli HE, et al. Canadian Cardiovascular Society/Canadian Association of Interventional Cardiology 2023 focused update of the guidelines for the use of antiplatelet therapy. *Can J Cardiol*. 2024. 40 (2): 160-181.
- Bangma DF, Tucha O, Tucha L, De Deyn PP, and Koerts J. How well do people living with neurodegenerative diseases manage their finances? A meta-analysis and systematic review on the capacity to make financial decisions in people living with neurodegenerative diseases. *Neurosci Biobehav Rev*. 2021. 127: 709-739.
- Battle CE, Abdul-Rahim AH, Shenkin SD, Hewitt J, and Quinn TJ. Cholinesterase inhibitors for vascular dementia and other vascular cognitive impairments: A network meta-analysis. *Cochrane Database Syst Rev*. 2021. 2 (2): Cd013306.
- Brimms L, and Oliver K. Effectiveness of assistive technology in improving the safety of people with dementia: A systematic review and meta-analysis. *Aging Ment Health*. 2019. 23 (8): 942-951.
- Bryant J, Turon H, Waller A, Freund M, Mansfield E, and Sanson-Fisher R. Effectiveness of interventions to increase participation in advance care planning for people with a diagnosis of dementia: A systematic review. *Palliat Med*. 2019. 33 (3): 262-273.
- Canadian Coalition for Seniors' Mental Health. 2024. "Canadian clinical practice guidelines for assessing and managing behavioural and psychological symptoms of dementia (BPSD)." Canadian Academy of Geriatric Psychology. Accessed June 25, 2024. [https://ccsmh.ca/wp-content/uploads/2024/05/DIGITAL\\_CCSMH\\_BPSD-Clinical-Guidelines\\_May2024\\_ENG.pdf](https://ccsmh.ca/wp-content/uploads/2024/05/DIGITAL_CCSMH_BPSD-Clinical-Guidelines_May2024_ENG.pdf).
- Chatterjee S, Peters SA, Woodward M, Mejia Arango S, Batty GD, Beckett N, et al. Type 2 diabetes as a risk factor for dementia in women compared with men: A pooled analysis of 2.3 million people comprising more than 100,000 cases of dementia. *Diabetes Care*. 2016. 39 (2): 300-7.
- Choudhury S, Ghodasara S, Stiffel M, Fischer CE, Tang-Wai DF, Smith EE, et al. Informant-based tools for assessment and monitoring of cognition, behavior, and function in neurocognitive disorders:

- Systematic review and report from a cccdt5 working group. *Int J Geriatr Psychiatry*. 2022. 37 (2).
- Craig L, Hoo ZL, Yan TZ, Wardlaw J, and Quinn TJ. Prevalence of dementia in ischaemic or mixed stroke populations: Systematic review and meta-analysis. *J Neurol Neurosurg Psychiatry*. 2022. 93 (2): 180-187.
- Cumming TB, Churilov L, Linden T, and Bernhardt J. Montreal Cognitive Assessment and Mini-Mental State Examination are both valid cognitive tools in stroke. *Acta Neurol Scand*. 2013. 128 (2): 122-9.
- Demeyere N, Sun S, Milosevich E, and Vancleef K. Post-stroke cognition with the oxford cognitive screen vs Montreal Cognitive Assessment: A multi-site randomized controlled study (ocs-care). *AMRC Open Research*. 2019. 1: 12.
- Dong L, Briceno E, Morgenstern LB, and Lisabeth LD. Poststroke cognitive outcomes: Sex differences and contributing factors. *J Am Heart Assoc*. 2020. 9 (14): e016683.
- Dong Y, Sharma VK, Chan BP, Venketasubramanian N, Teoh HL, Seet RC, et al. The Montreal Cognitive Assessment (MoCA) is superior to the Mini-Mental State Examination (MMSE) for the detection of vascular cognitive impairment after acute stroke. *J Neurol Sci*. 2010. 299 (1-2): 15-8.
- Dong Y, Venketasubramanian N, Chan BP, Sharma VK, Slavin MJ, Collinson SL, et al. Brief screening tests during acute admission in patients with mild stroke are predictive of vascular cognitive impairment 3-6 months after stroke. *J Neurol Neurosurg Psychiatry*. 2012. 83 (6): 580-5.
- Dudas R, Malouf R, McCleery J, and Denning T. Antidepressants for treating depression in dementia. *Cochrane Database Syst Rev*. 2018. 8 (8): Cd003944.
- Duering M, Biessels GJ, Brodtmann A, Chen C, Cordonnier C, de Leeuw FE, et al. Neuroimaging standards for research into small vessel disease—advances since 2013. *Lancet Neurol*. 2023. 22 (7): 602-618.
- El Husseini N, Katzan IL, Rost NS, Blake ML, Byun E, Pendlebury ST, et al. Cognitive impairment after ischemic and hemorrhagic stroke: A Scientific Statement from the American Heart Association/American Stroke Association. *Stroke*. 2023. 54 (6): e272-e291.
- Gallaway PJ, Miyake H, Buchowski MS, Shimada M, Yoshitake Y, Kim AS, et al. Physical activity: A viable way to reduce the risks of mild cognitive impairment, Alzheimer's disease, and vascular dementia in older adults. *Brain Sci*. 2017. 7 (2).
- Gladstone DJ, Lindsay MP, Douketis J, Smith EE, Dowlatshahi D, Wein T, et al. Canadian Stroke Best Practice Recommendations: Secondary Prevention of Stroke Update 2020. *Can J Neurol Sci*. 2022. 49 (3): 315-337.
- Godefroy O, Fickl A, Roussel M, Auribault C, Bugnicourt JM, Lamy C, et al. Is the Montreal Cognitive Assessment superior to the Mini-Mental State Examination to detect poststroke cognitive impairment? A study with neuropsychological evaluation. *Stroke*. 2011. 42 (6): 1712-6.
- Gottesman RF, Albert MS, Alonso A, Coker LH, Coresh J, Davis SM, et al. Associations between midlife vascular risk factors and 25-year incident dementia in the atherosclerosis risk in communities (aric) cohort. *JAMA Neurol*. 2017. 74 (10): 1246-1254.
- Groot C, Hooghiemstra AM, Raijmakers PG, van Berckel BN, Scheltens P, Scherder EJ, et al. The effect of physical activity on cognitive function in patients with dementia: A meta-analysis of randomized control trials. *Ageing Res Rev*. 2016. 25: 13-23.

- Guyatt GH, Oxman AD, Kunz R, Vist GE, Falck-Ytter Y, and Schünemann HJ. What is "quality of evidence" and why is it important to clinicians? *BMJ*. 2008. 336 (7651): 995-8.
- Hachinski V, Iadecola C, Petersen RC, Breteler MM, Nyenhuis DL, Black SE, et al. National Institute of Neurological Disorders and Stroke-Canadian Stroke Network vascular cognitive impairment harmonization standards. *Stroke*. 2006. 37 (9): 2220-41.
- Heart & Stroke. 2019. "(dis)connected: How unseen links are putting us at risk." Heart & Stroke Foundation of Canada. Accessed 12 June 2024. <https://www.strokebestpractices.ca/-/media/1-stroke-best-practices/quality/english/heartandstrokereport2019.pdf?rev=b3af9303d6014950ab97d6ee9ff00607>.
- Heran M, Lindsay P, Gubitz G, Yu A, Ganesh A, Lund R, et al. Canadian Stroke Best Practice Recommendations: Acute stroke management, 7(th) edition practice guidelines update, 2022. *Can J Neurol Sci*. 2022. 1-94.
- Huang HL, Lu WR, Liu CL, and Chang HJ. Advance care planning information intervention for persons with mild dementia and their family caregivers: Impact on end-of-life care decision conflicts. *PLoS One*. 2020. 15 (10): e0240684.
- Jain R, Stone JA, Agarwal G, Andrade JG, Bacon SL, Bajaj HS, et al. Canadian Cardiovascular Harmonized National Guideline Endeavour (C-CHANGE) guideline for the prevention and management of cardiovascular disease in primary care: 2022 update. *Cmaj*. 2022. 194 (43): E1460-e1480.
- Jorm AF, and Korten AE. Assessment of cognitive decline in the elderly by informant interview. *Br J Psychiatry*. 1988. 152: 209-13.
- Kaur A, Angarita Fonseca A, Lissaman R, Behloul H, Rajah MN, and Pilote L. Sex differences in the Association of age at hypertension diagnosis with brain structure. *Hypertension*. 2024. 81 (2): 291-301.
- Kivimäki M, Singh-Manoux A, Pentti J, Sabia S, Nyberg ST, Alfredsson L, et al. Physical inactivity, cardiometabolic disease, and risk of dementia: An individual-participant meta-analysis. *BMJ*. 2019. 365: l1495.
- Lancôt KL, Lindsay MP, Smith EE, Sahlas DJ, Foley N, Gubitz G, et al. Canadian Stroke Best Practice Recommendations: Mood, Cognition and Fatigue following Stroke, 6th edition update 2019. *Int J Stroke*. 2020. 15 (6): 668-688.
- Lees R, Selvarajah J, Fenton C, Pendlebury ST, Langhorne P, Stott DJ, et al. Test accuracy of cognitive screening tests for diagnosis of dementia and multidomain cognitive impairment in stroke. *Stroke*. 2014. 45 (10): 3008-18.
- Leng M, Liang B, Zhou H, Zhang P, Hu M, Li G, et al. Effects of physical exercise on depressive symptoms in patients with cognitive impairment: A systematic review and meta-analysis. *J Nerv Ment Dis*. 2018. 206 (10): 809-823.
- Leng M, Zhao Y, and Wang Z. Comparative efficacy of non-pharmacological interventions on agitation in people with dementia: A systematic review and bayesian network meta-analysis. *Int J Nurs Stud*. 2020. 102: 103489.
- Li F, Harmer P, Eckstrom E, Ainsworth BE, Fitzgerald K, Voit J, et al. Efficacy of exercise-based interventions in preventing falls among community-dwelling older persons with cognitive

- impairment: Is there enough evidence? An updated systematic review and meta-analysis. *Age Ageing*. 2021. 50 (5): 1557-1568.
- Liu Z, Sun YY, and Zhong BL. Mindfulness-based stress reduction for family carers of people with dementia. *Cochrane Database Syst Rev*. 2018. 8 (8): Cd012791.
- Livingston G, Huntley J, Sommerlad A, Ames D, Ballard C, Banerjee S, et al. Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. *Lancet*. 2020. 396 (10248): 413-446.
- Ma Y, Ajnakina O, Steptoe A, and Cadar D. Higher risk of dementia in english older individuals who are overweight or obese. *Int J Epidemiol*. 2020. 49 (4): 1353-1365.
- Madureira S, Guerreiro M, and Ferro JM. Dementia and cognitive impairment three months after stroke. *Eur J Neurol*. 2001. 8 (6): 621-7.
- McEvoy CT, Guyer H, Langa KM, and Yaffe K. Neuroprotective diets are associated with better cognitive function: The Health and Retirement Study. *J Am Geriatr Soc*. 2017. 65 (8): 1857-1862.
- McGrath ER, Beiser AS, DeCarli C, Plourde KL, Vasan RS, Greenberg SM, et al. Blood pressure from mid- to late life and risk of incident dementia. *Neurology*. 2017. 89 (24): 2447-2454.
- McGuff R, McDougall M, Zorzit A, Swartz RH, Longman S, Mountain A, et al. The lived experience of vascular cognitive impairment: Mapping the journey (p318). *Int J Stroke*. 2022. 17, no. 3S: p 266.
- McKinney M, Blake H, Treece KA, Lincoln NB, Playford ED, and Gladman JR. Evaluation of cognitive assessment in stroke rehabilitation. *Clin Rehabil*. 2002. 16 (2): 129-36.
- McShane R, Westby MJ, Roberts E, Minakaran N, Schneider L, Farrimond LE, et al. Memantine for dementia. *Cochrane Database Syst Rev*. 2019. 3 (3): Cd003154.
- Mehta S, Peynenburg VA, and Hadjistavropoulos HD. Internet-delivered cognitive behaviour therapy for chronic health conditions: A systematic review and meta-analysis. *J Behav Med*. 2019. 42 (2): 169-187.
- Mellon L, Brewer L, Hall P, Horgan F, Williams D, and Hickey A. Cognitive impairment six months after ischaemic stroke: A profile from the ASPIRE-S study. *BMC Neurol*. 2015. 15: 31.
- Middleton L, Kirkland S, and Rockwood K. Prevention of cind by physical activity: Different impact on VCI-nd compared with MCI. *J Neurol Sci*. 2008. 269 (1-2): 80-4.
- Möhler R, Calo S, Renom A, Renom H, and Meyer G. Personally tailored activities for improving psychosocial outcomes for people with dementia in long-term care. *Cochrane Database Syst Rev*. 2023. 3 (3): Cd009812.
- Mountain A, Patrice Lindsay M, Teasell R, Salbach NM, de Jong A, Foley N, et al. Canadian Stroke Best Practice Recommendations: Rehabilitation, Recovery, and Community Participation following Stroke. Part two: Transitions and community participation following stroke. *Int J Stroke*. 2020. 15 (7): 789-806.
- Mühlbauer V, Möhler R, Dichter MN, Zuidema SU, Köpke S, and Luijendijk HJ. Antipsychotics for agitation and psychosis in people with Alzheimer's disease and vascular dementia. *Cochrane Database Syst Rev*. 2021. 12 (12): Cd013304.
- O'Donoghue M, Leahy S, Boland P, Galvin R, McManus J, and Hayes S. Rehabilitation of cognitive

- deficits poststroke: Systematic review and meta-analysis of randomized controlled trials. *Stroke*. 2022. 53 (5): 1700-1710.
- Orgeta V, Leung P, Del-Pino-Casado R, Qazi A, Orrell M, Spector AE, et al. Psychological treatments for depression and anxiety in dementia and mild cognitive impairment. *Cochrane Database Syst Rev*. 2022. 4 (4): Cd009125.
- Ou YN, Tan CC, Shen XN, Xu W, Hou XH, Dong Q, et al. Blood pressure and risks of cognitive impairment and dementia: A systematic review and meta-analysis of 209 prospective studies. *Hypertension*. 2020. 76 (1): 217-225.
- Paradise MB, and Sachdev PS. Vascular cognitive disorder. *Semin Neurol*. 2019. 39 (2): 241-250.
- Pendlebury ST, Mariz J, Bull L, Mehta Z, and Rothwell PM. MoCA, ACE-R, and MMSE versus the National Institute of Neurological Disorders and Stroke-Canadian Stroke Network vascular cognitive impairment harmonization standards neuropsychological battery after tia and stroke. *Stroke*. 2012. 43 (2): 464-9.
- Pendlebury ST, and Rothwell PM. Incidence and prevalence of dementia associated with transient ischaemic attack and stroke: Analysis of the population-based oxford vascular study. *Lancet Neurol*. 2019. 18 (3): 248-258.
- Pillemer S, Davis J, and Tremont G. Gender effects on components of burden and depression among dementia caregivers. *Aging Ment Health*. 2018. 22 (9): 1156-1161.
- Quinn TJ, Richard E, Teuschl Y, Gattringer T, Hafdi M, O'Brien JT, et al. European Stroke Organisation and European Academy of Neurology joint guidelines on post-stroke cognitive impairment. *Eur Stroke J*. 2021. 6 (3): I-xxxviii.
- Rabi DM, McBrien KA, Sapir-Pichhadze R, Nakhla M, Ahmed SB, Dumanski SM, et al. Hypertension Canada's 2020 comprehensive guidelines for the prevention, diagnosis, risk assessment, and treatment of hypertension in adults and children. *Can J Cardiol*. 2020. 36 (5): 596-624.
- Rockwood K, Brown M, Merry H, Sketris I, and Fisk J. Societal costs of vascular cognitive impairment in older adults. *Stroke*. 2002. 33 (6): 1605-9.
- Rogers JM, Foord R, Stolwyk RJ, Wong D, and Wilson PH. General and domain-specific effectiveness of cognitive remediation after stroke: Systematic literature review and meta-analysis. *Neuropsychol Rev*. 2018. 28 (3): 285-309.
- Rundek T, Tolea M, Ariko T, Fagerli EA, and Camargo CJ. Vascular cognitive impairment (VCI). *Neurotherapeutics*. 2022. 19 (1): 68-88.
- Saa JP, Tse T, Baum CM, Cumming T, Josman N, Rose M, et al. Cognitive recovery after stroke: A meta-analysis and metaregression of intervention and cohort studies. *Neurorehabil Neural Repair*. 2021. 35 (7): 585-600.
- Sabia S, Fayosse A, Dumurgier J, Dugravot A, Akbaraly T, Britton A, et al. Alcohol consumption and risk of dementia: 23 year follow-up of whitehall ii cohort study. *BMJ*. 2018. 362: k2927.
- Saikaley M, Iruthayarajah J, Mirkowski M, Macaluso S, Salter K, Badour A, et al. 2022. "Chapter 12: Cognitive rehabilitation." Evidence Based Review of Stroke Rehabilitation. Accessed 12 June 2024. [http://www.ebrsr.com/sites/default/files/Chapter%2012\\_version19.pdf](http://www.ebrsr.com/sites/default/files/Chapter%2012_version19.pdf)
- Scottish Intercollegiate Guidelines Network. 2023. "Assessment, diagnosis, care and support for people

- with dementia and their carers (sign publication no. 168)." SIGN. Accessed 12 June 2024.  
<https://www.sign.ac.uk/media/2157/sign-168-dementia.pdf>.
- Skrobot OA, Black SE, Chen C, DeCarli C, Erkinjuntti T, Ford GA, et al. Progress toward standardized diagnosis of vascular cognitive impairment: Guidelines from the Vascular Impairment of Cognition Classification Consensus Study. *Alzheimers Dement*. 2018. 14 (3): 280-292.
- Smith EE, Barber P, Field TS, Ganesh A, Hachinski V, Hogan DB, et al. Canadian Consensus Conference on Diagnosis and Treatment of Dementia (CCCDTD)5: Guidelines for management of vascular cognitive impairment. *Alzheimers Dement (N Y)*. 2020. 6 (1): e12056.
- Sofi F, Valecchi D, Bacci D, Abbate R, Gensini GF, Casini A, et al. Physical activity and risk of cognitive decline: A meta-analysis of prospective studies. *J Intern Med*. 2011. 269 (1): 107-17.
- Staals J, Booth T, Morris Z, Bastin ME, Gow AJ, Corley J, et al. Total MRI load of cerebral small vessel disease and cognitive ability in older people. *Neurobiol Aging*. 2015. 36 (10): 2806-11.
- Stall NM, Fischer HD, Fung K, Giannakeas V, Bronskill SE, Austin PC, et al. Sex-specific differences in end-of-life burdensome interventions and antibiotic therapy in nursing home residents with advanced dementia. *JAMA Netw Open*. 2019. 2 (8): e199557.
- Tang Y, Xing Y, Zhu Z, He Y, Li F, Yang J, et al. The effects of 7-week cognitive training in patients with vascular cognitive impairment, no dementia (the cog-vaccine study): A randomized controlled trial. *Alzheimers Dement*. 2019. 15 (5): 605-614.
- Tao Q, and Zhang J. Problem-solving based intervention for informal caregivers: A scoping review. *Open Journal of Nursing*. 2019. 9 (9): 951-971.
- Tatemichi TK, Foulkes MA, Mohr JP, Hewitt JR, Hier DB, Price TR, et al. Dementia in stroke survivors in the stroke data bank cohort. Prevalence, incidence, risk factors, and computed tomographic findings. *Stroke*. 1990. 21 (6): 858-66.
- Tatemichi TK, Paik M, Bagiella E, Desmond DW, Pirro M, and Hanzawa LK. Dementia after stroke is a predictor of long-term survival. *Stroke*. 1994. 25 (10): 1915-9.
- Teasell R, Salbach NM, Foley N, Mountain A, Cameron JI, Jong Ad, et al. Canadian Stroke Best Practice Recommendations: Rehabilitation, Recovery, and Community Participation following Stroke. Part one: Rehabilitation and recovery following stroke; 6th edition update 2019. *International Journal of Stroke*. 2020. 15 (7): 763-788.
- Teixeira AA, Hanvey L, Tayler C, Barwich D, Baxter S, and Heyland DK. What do Canadians think of advanced care planning? Findings from an online opinion poll. *BMJ Support Palliat Care*. 2015. 5 (1): 40-7.
- Toepper M, and Falkenstein M. Driving fitness in different forms of dementia: An update. *J Am Geriatr Soc*. 2019. 67 (10): 2186-2192.
- Toglia J, Fitzgerald KA, O'Dell MW, Mastrogiovanni AR, and Lin CD. The Mini-Mental State Examination and Montreal Cognitive Assessment in persons with mild subacute stroke: Relationship to functional outcome. *Arch Phys Med Rehabil*. 2011. 92 (5): 792-8.
- van der Steen JT, Smaling HJ, van der Wouden JC, Bruinsma MS, Scholten RJ, and Vink AC. Music-based therapeutic interventions for people with dementia. *Cochrane Database Syst Rev*. 2018. 7 (7): Cd003477.

- Verdelho A, Madureira S, Ferro JM, Baezner H, Blahak C, Poggesi A, et al. Physical activity prevents progression for cognitive impairment and vascular dementia: Results from the ladis (leukoaraiosis and disability) study. *Stroke*. 2012. 43 (12): 3331-5.
- Visseren FLJ, Mach F, Smulders YM, Carballo D, Koskinas KC, Bäck M, et al. 2021 ESC guidelines on cardiovascular disease prevention in clinical practice: Developed by the task force for cardiovascular disease prevention in clinical practice with representatives of the European Society of Cardiology and 12 medical societies with the special contribution of the European Association of Preventive Cardiology (EAPC). *Rev Esp Cardiol (Engl Ed)*. 2022. 75 (5): 429.
- Walsh SC, Murphy E, Devane D, Sampson EL, Connolly S, Carney P, et al. Palliative care interventions in advanced dementia. *Cochrane Database Syst Rev*. 2021. 9 (9): Cd011513.
- Weaver NA, Kuijf HJ, Aben HP, Abrigo J, Bae HJ, Barbay M, et al. Strategic infarct locations for post-stroke cognitive impairment: A pooled analysis of individual patient data from 12 acute ischaemic stroke cohorts. *Lancet Neurol*. 2021. 20 (6): 448-459.
- Wein T, Lindsay MP, Gladstone DJ, Poppe A, Bell A, Casaubon LK, et al. Canadian Stroke Best Practice Recommendations, seventh edition: Acetylsalicylic acid for prevention of vascular events. *Cmaj*. 2020. 192 (12): E302-e311.
- Wendrich-van Dael A, Bunn F, Lynch J, Pivodic L, Van den Block L, and Goodman C. Advance care planning for people living with dementia: An umbrella review of effectiveness and experiences. *Int J Nurs Stud*. 2020. 107: 103576.
- White WB, Wakefield DB, Moscufo N, Guttmann CRG, Kaplan RF, Bohannon RW, et al. Effects of intensive versus standard ambulatory blood pressure control on cerebrovascular outcomes in older people (infinity). *Circulation*. 2019. 140 (20): 1626-1635.
- Wiegelmann H, Speller S, Verhaert LM, Schirra-Weirich L, and Wolf-Ostermann K. Psychosocial interventions to support the mental health of informal caregivers of persons living with dementia - a systematic literature review. *BMC Geriatr*. 2021. 21 (1): 94.
- Williamson JD, Pajewski NM, Auchus AP, Bryan RN, Chelune G, Cheung AK, et al. Effect of intensive vs standard blood pressure control on probable dementia: A randomized clinical trial. *Jama*. 2019.
- Winstein CJ, Stein J, Arena R, Bates B, Cherney LR, Cramer SC, et al. Guidelines for adult stroke rehabilitation and recovery: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*. 2016. 47 (6): e98-e169.
- Woodbridge R, Sullivan MP, Harding E, Crutch S, Gilhooly KJ, Gilhooly M, et al. Use of the physical environment to support everyday activities for people with dementia: A systematic review. *Dementia (London)*. 2018. 17 (5): 533-572.
- World Health Organization. 2001. "International classification of functioning, disability and health." WHO,. Accessed 12 June 2024. <https://iris.who.int/bitstream/handle/10665/42407/9241545429-eng.pdf>.
- Zuo L, Dong Y, Zhu R, Jin Z, Li Z, Wang Y, et al. Screening for cognitive impairment with the Montreal Cognitive Assessment in chinese patients with acute mild stroke and transient ischaemic attack: A validation study. *BMJ Open*. 2016. 6 (7): e011310.